

NORTHEAST GREENS

Welcome to Rotation Nation

Because the future of our industry depends on the efficacy of our products, we've established Rotation Nation. PBI-Gordon has developed fungicide rotation programs to meet the specific needs of each region, while managing resistance by enlisting a variety of products and active ingredients, including the proven performers in our fungicide line:

- ★ **Kabuto® Fungicide SC**
Excellent control of dollar spot and Spring dead spot!
- ★ **Segway® Fungicide SC**
Proven protection against Pythium disease.
- ★ **Tekken™ Broad Spectrum Fungicide**
One application rate controls 21 diseases for up to 28 days.

No matter what region you're in, PBI-Gordon fungicides are formulated to play a powerful role in your rotation program.

Fungicide application recommendations for disease management on greens in the Northeast are selected primarily for the control of anthracnose, dollar spot, Summer patch and brown patch, as well as mid-summer preventive applications for Pythium disease.

Golf courses with *Poa annua* putting greens are exceptionally at risk of development of anthracnose and dollar spot starting in May and persisting throughout the summer months into early fall. Although applications for the control of snow mold are not included in the program, preventive spray programs for pink snow mold prior to snow cover are warranted.

APP#	TREATMENT	TYPE	RATE	UNIT	APP DATE	FRAC	ACTIVE INGREDIENTS	DISEASES CONTROLLED
1	Secure® Fungicide	F	0.50	fl. oz./1,000 ft ²	May 1	29	Fluazinam	Dollar spot
2	Kabuto® Fungicide SC	SC	0.50	fl. oz./1,000 ft ²	May 15	7	Isofetamid	Dollar spot
3	Tekken™ Broad Spectrum Fungicide	SC	3.00	fl. oz./1,000 ft ²	May 29	3+7	Isofetamid+tebuconazole	Dollar spot, Brown ring patch, Summer patch
4	Daconil Ultrex® Fungicide	WG	3.20	oz./1,000 ft ²	June 12	M5	Chlorothalonil	Dollar spot, Leaf spot, Anthracnose
	Medallion® SC Fungicide	SC	2.00	fl. oz./1,000 ft ²	June 12	12	Fludioxonil	Brown ring patch, Brown patch, Anthracnose
5	Lexicon® Intrinsic® Brand Fungicide	SC	0.47	fl. oz./1,000 ft ²	June 26	7+11	Fluxapyroxad+pyraclostrobin	Dollar spot, Brown patch, Anthracnose, Summer patch
	Subdue Maxx® Fungicide	ME	1.00	fl. oz./1,000 ft ²	June 26	4	Mefenoxam	Pythium blight
6	Tartan® Stressgard® Fungicide	SC	2.00	fl. oz./1,000 ft ²	July 10	3+11	Triadimefon+trifloxystrobin	Dollar spot, Brown patch, Anthracnose, Summer patch
	Segway® Fungicide SC	L	0.90	fl. oz./1,000 ft ²	July 10	21	Cyazofamid	Pythium blight/ Pythium root rot
7	Daconil Ultrex® Fungicide	WG	3.20	oz./1,000 ft ²	July 24	M5	Chlorothalonil	Dollar spot, Brown patch, Anthracnose
	Velista™ Fungicide	WDG	0.50	oz./1,000 ft ²	July 24	7	Penthiopyrad	Dollar spot, Brown patch, Anthracnose
8	Segway® Fungicide SC	L	0.90	fl. oz./1,000 ft ²	July 24	21	Cyazofamid	Pythium blight
	Lexicon® Intrinsic® Brand Fungicide	SC	0.30	fl. oz./1,000 ft ²	Aug 7	7+11	Fluxapyroxad+pyraclostrobin	Dollar spot, Brown patch, Anthracnose
9	Subdue Maxx® Fungicide	ME	1.00	fl. oz./1,000 ft ²	Aug 7	4	Mefenoxam	Pythium blight
	Daconil Ultrex® Fungicide	WG	3.20	oz./1,000 ft ²	Aug 12	M5	Chlorothalonil	Dollar spot, Brown patch, Anthracnose
10	Heritage™ Action™ Fungicide	WDG	0.40	oz./1,000 ft ²	Aug 12	11+P1	Azoxystrobin+acibenzolar-S-methyl	Brown patch, Anthracnose
	Segway® Fungicide SC	L	0.45	fl. oz./1,000 ft ²	Aug 12	21	Cyazofamid	Pythium blight
11	26GT® Fungicide	SC	4.00	fl. oz./1,000 ft ²	Aug 26	2	Iprodione	Dollar spot, Brown patch
	Segway® Fungicide SC	L	0.45	fl. oz./1,000 ft ²	Aug 26	21	Cyazofamid	Pythium blight
12	Tekken™ Broad Spectrum Fungicide	SC	3.00	fl. oz./1,000 ft ²	Sept 9	3+7	Isofetamid+tebuconazole	Dollar spot
13	Kabuto® Fungicide SC	SC	0.50	fl. oz./1,000 ft ²	Sept 23	7	Isofetamid	Dollar spot
14	Secure® Fungicide	F	0.50	fl. oz./1,000 ft ²	Oct 7	29	Fluazinam	Dollar spot

Note: New York State permits only one application of Tekken™ per year.
It is the responsibility of the end-user/applicator to ensure that the product is registered in the state where the application is being made.
Refer to label for tank mixing instructions.